



# WILLOUGHBY

COUNT ON US.



## **BEHAVIORAL HEALTH PRODUCT GUIDE**

---

PLUMBING FIXTURES & ACCESSORIES

# Contents

- 03 Introduction
- 04 Sinks & Lavatories
- 06 Faucets & Valves
- 08 Showers & Shower Bases
- 13 Drains
- 14 Toilets & Water Closets
- 15 Bottle Fillers & Drinking Fountains
- 17 Accessories
- 20 Urinals



## Thank you for considering products manufactured by Willoughby Industries!

Since our opening in 1947, Willoughby’s sole focus has been to provide the finest products in the industry. While our company shifted from sheet metal production to manufacturing commercial plumbing products decades ago, our focus has never wavered.

Willoughby builds all of our products in Indianapolis, Indiana, USA, and—except for a few components—we manufacture all aspects of our products in-house before shipping them across the world. Thanks to the commitment of our craftspeople to research, design, and produce stainless steel and solid surface plumbing products, we manufacture products of the highest quality.

As you consider the selection and use of commercial plumbing fixtures and accessories for your next project, Willoughby respectfully asks for your business. Being a fourth-generation family-owned business, you can **COUNT ON US** to meet and exceed your expectations!



◀ LEFT: ORIGINAL BUSINESS FRONT  
▼ BELOW: CURRENT BUSINESS FRONT



# INTRODUCTION

Willoughby behavioral health fixtures are built with ligature- and vandal-resistant features to meet the demanding needs of behavioral health facilities. These fixtures are aesthetically pleasing and exceedingly durable because they are constructed from the following materials:

## Stainless Steel

We design and manufacture all our bubblers, spouts, and showerheads—and the majority of our fixtures—from high-quality stainless steel. While chrome-plated brass degrades over time, our in-house machining centers allow us to utilize the more durable stainless steel for all necessary product components.



TYPE 304




TYPE 316 (MARINE-GRADE)

## AquaSurf® Solid Surface

We also utilize AquaSurf® solid surface—a molded, cast polymer densified material composed of polyester/acrylic resin, UV stabilizer, aluminum trihydrate, mineral fillers, proprietary colorant, and antimicrobial additive. This non-porous surface is resistant to stains, burns, and impact. Also, while damage to the surface of this product is rare, it can easily be repaired with a mild abrasive cleaner.




BLACK GRANITE



BONE




GLACIER WHITE



GREY GRANITE



SANDSTONE



WHITE GRANITE

## Product Key

Willoughby values providing the best customer-focused service in the industry, every step of the way—whether it is helping plan, install, operate, or maintain our products. In that spirit, we created a quick reference for all our products in this catalog.



ADA COMPLIANT



CBC COMPLIANT



HANDICAP ACCESSIBLE



LEAD-FREE PRODUCT



LIGATURE-RESISTANT



NYS-OMH COMPLIANT



EPA WATERSENSE

*\*SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE*

# SINKS & LAVATORIES

Willoughby sinks and lavatories are the perfect solution for single-person usage in behavioral health environments. Constructed from stainless steel or AquaSurf® solid surface material, they are exceptionally durable with a full complement of optional faucets and accessories to accommodate your specific needs.



## Lavatory for Deck Mounted Faucet

MODEL: LRBHL-2220

The LRBHL-2220 Lavatory for Deck Mounted Faucet is a single-user, solid surface fixture for those desiring a more contemporary design. Standard fixtures come with 4-inch center faucet holes. *Recommend pairing with LRFC Series faucet.*



## Corner Lavatory

MODEL: LRBCL-2030

The LRBCL-2030 Corner Lavatory is a single-user, solid surface fixture for those desiring a more contemporary lavatory that is configured for corner applications. Standard fixtures come with 4-inch center faucet holes and extra counter space. *Recommend pairing with LRFC Series faucet.*



## Lavatory

MODEL: LRBHL-2320

The LRBHL-2320 Lavatory is a single-user, solid surface fixture. The design and colors create a warm, comfortable, and inviting space for patients, family members, and staff. Standard fixtures come with a stainless steel sprayhead and two push buttons for hot and cold water.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE

## Lavatory – Rear Mounted

MODEL: WBLS-2018-HC



The WBLS-2018-HC Rear Mounted Lavatory is a single-user, stainless steel fixture for environments with an accessible mechanical chase. The WBLS-2018-HC lavatory can be supplied with a variety of optional features including: valves, controls, plumbing, etc.



## Lavatory – Front Mounted

MODEL: WBLS-2018-HC-FA



The WBLS-2018-HC-FA Front Mounted Lavatory is a single-user, stainless steel fixture for environments where a mechanical chase is either non-existent or difficult to access. The WBLS-2018-HC-FA lavatory can be supplied with a variety of optional features including: valves, controls, plumbing, etc.



## Lavatory

MODEL: ASWLDR-1922



The ASWLDR-1922 Lavatory is a single-user, stainless steel fixture with less of an institutional design. The ASWLDR-1922 is wall-mounted and comes standard with a white, antimicrobial powder coat finish. See [Healthcare Product Guide](#) for bariatric version designed to withstand a static downward force of 650 lbs.



## Lavatory for Deck Mounted Faucet

MODEL: ASWLDR-1922-DMF



The ASWLDR-1922-DMF Lavatory for Deck Mounted Faucet is a single-user, stainless steel fixture. The ASWLDR-1922-DMF comes standard with a white, antimicrobial powder coat finish and LRFC Series faucet. See [Healthcare Product Guide](#) for bariatric version designed to withstand a static downward force of 650 lbs.





## Lavatory – 18" Wide, Rear Mounted

MODEL: ASHS-1013-06

The ASHS-1013-06 18" Wide, Rear Mounted Lavatory is a single-user, stainless steel fixture for environments with an accessible mechanical chase. The ASHS-1013-06 lavatory is floor mounted and can be supplied with a variety of optional features.



## Lavatory – 18" Wide, Front Mounted

MODEL: ASHS-1013-06-FA

The ASHS-1013-06-FA 18" Wide, Front Mounted Lavatory is a single-user, stainless steel fixture for environments where a mechanical chase is either non-existent or difficult to access. The ASHS-1013-06-FA lavatory is floor mounted and can be supplied with a variety of optional features.




# FAUCETS & VALVES

Willoughby faucets and valves—fabricated from polished stainless steel—are designed to be aesthetically pleasing and exceedingly durable while minimizing ligature points for use in behavioral health environments.

## Pneumatic Faucet

MODEL: PML-BHF



The PML-BHF Pneumatic Faucet is a lead-free, ligature-resistant water control valve. The PML-BHF is designed to replace existing valves on china and aluminum fixtures without integral bubblers, and is offered in either a single- or dual-temperature configuration.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE



## Infrared Faucet

MODEL: LRFC

The LRFC Infrared Faucet features a contoured design and IR sensor with preset, elapsed time lockouts to minimize vandalism. The single-temperature faucet offers a 35° angle of spray—with a 16° maximum swivel adjustment—and a 0.5 GPM flow rate. Offered in either a hard-wired or battery-operated configuration.



## Pneumatic Push Button Faucet

MODEL: LRFC-PBH

The LRFC-PBH Pneumatic Push Button Faucet features a contoured design to minimize any potential ligature points. The dual-temperature faucet offers a 35° angle of spray—with a 16° maximum swivel adjustment—and a 0.5 GPM flow rate through the serviceable insert.



## Piezo Electronic Push Button Faucet

MODEL: LRFC-PZPB

The LRFC-PZPB Piezo Electronic Push Button Faucet features a contoured design to minimize any potential ligature points. The dual-temperature faucet offers a 35° angle of spray—with a 16° maximum swivel adjustment—and a 0.5 GPM flow rate through the serviceable insert.



## Temperature & Pressure Shower Mixing Valve

MODEL: TPLR

The TPLR Temperature and Pressure Shower Mixing Valve is a self-contained, stainless steel mixing valve assembly with a sloped handle and escutcheon set to minimize tie-off points.



SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE



# SHOWERS & SHOWER BASES

Willoughby showers and shower bases—constructed from stainless steel or AquaSurf® solid surface material—are vandal-resistant and durable for those who desire superior functionality at an affordable price.



## Built-In Shower

MODEL: WBIS-FA SERIES

The WBIS-FA Series Built-In Shower is a single-user, stainless steel ensemble designed to be used when a mechanical chase is either non-existent or difficult to access. Provided with one shower head and one valve assembly, with anchoring through the component shower plates. *Additional options shown.*



## Built-In Shower – ADA Compliant

MODEL: WBIS-FA-ADA SERIES

The WBIS-FA-ADA Series ADA Compliant Built-In Shower is a single-user, stainless steel ensemble designed to be used when a mechanical chase is either non-existent or difficult to access. Provided with two shower heads and one valve assembly, with anchoring through the component shower plates. *Additional options shown.*



## Surface Mounted Wall Shower

MODEL: WBS SERIES

The WBS Series Surface Mounted Wall Shower is a single-user, stainless steel fixture for environments where a mechanical chase is either non-existent or difficult to access. Standard fixtures come with a sloped top and your choice of shower head and valve assembly.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE



## Surface Mounted Wall Shower – Handicap Accessible

MODEL: WBS-HCA-2HD SERIES

The WBS-HCA-2HD Series Handicap Accessible Surface Mounted Wall Shower is a single-user, stainless steel fixture. Standard fixtures come with a sloped top and your choice of two shower heads and valve assemblies.



## Surface Mounted Wall Shower – Wide Housing, Handicap Accessible

MODEL: WBS-HCA-WH-2HD SERIES

The WBS-HCA-WH-2HD Series Wide Housing, Surface Mounted Wall Shower is a single-user, stainless steel fixture. Standard fixtures come with a sloped top and your choice of two shower heads and valve assemblies.



## Surface Mounted Wall Shower – Wide Housing, ADA Compliant

MODEL: WBS-ADA-WH SERIES

The WBS-ADA-WH Series Wide Housing, Surface Mounted Wall Shower is an ADA compliant, single-user fixture fabricated from stainless steel. Standard fixtures come with a sloped top and your choice of two shower heads and valve assemblies.



## Roll-in Shower Base – 30” x 60” with Integral Rear Trench Drain

MODEL: AS-S3060ADA

The AS-S3060ADA 30” x 60” Roll-in Shower Base with Integral Rear Trench Drain is a single-user, solid surface fixture. The rear drain is available in left, center, or right configurations, with an optional ligature-resistant trench drain cover.



SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE

SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES





## Roll-in Shower Base – 30" × 60" with Integral Front Trench Drain

MODEL: AS-S3060ADAF

The AS-S3060ADAF 30" × 60" Roll-in Shower Base with Integral Front Trench Drain is a single-user, solid surface fixture. The front drain is available in left, center, or right configurations, with an optional ligature-resistant trench drain cover.



## Transfer Shower Base – 36" × 36" with Integral Rear Trench Drain

MODEL: AS-S3636ADA

The AS-S3636ADA 36" × 36" Transfer Shower Base with Integral Rear Trench Drain is a single-user, solid surface fixture. The rear drain is available in left, center, or right configurations, with an optional ligature-resistant trench drain cover.



## Transfer Shower Base – 36" × 36" with Integral Front Trench Drain

MODEL: AS-S3636ADAF

The AS-S3636ADAF 36" × 36" Transfer Shower Base with Integral Front Trench Drain is a single-user, solid surface fixture. The front drain is available in left, center, or right configurations, with an optional ligature-resistant trench drain cover.



## Shower Base – Corner, Neo-Angle

MODEL: AS SERIES

The AS Series Neo-Angle, Corner Shower Base is a single-user, solid surface fixture for use in commercial environments. The AS Series shower bases can be ordered in either a 36" x 36" or 42" x 42" configuration, with an optional ligature-resistant drain cover.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE

## Shower Base – Corner, Round

MODEL: AS SERIES

The AS Series Round, Corner Shower Base is a single-user, solid surface fixture for use in commercial environments. The AS Series shower bases can be ordered in a 36" x 36" configuration, with an optional ligature-resistant drain cover.



## Shower Base – Curbed, Square & Rectangular

MODEL: AS SERIES


The AS Series Curbed Shower Base is a single-user, solid surface fixture for use in commercial environments. The AS Series shower bases can be ordered in either a 36" x 36", 36" x 48", or 36" x 60" configuration—all in square or rectangular profiles—with an optional ligature-resistant drain cover.



## Shower Wall Panel Kit

MODEL: ASK SERIES

The Shower Wall Panel Kit allows for a complete shower installation with color-matched, solid surface wall panel sections. Additional options include soap dishes and shelves.




## Shower Head – Ligature-Resistant

MODEL: CSH SERIES

The CSH Series Ligature-Resistant Shower Head is machined from stainless steel and has a 30° angle of spray through a Delrin insert retained by a stainless steel, Pin-Torx security screw. The entire unit has a rounded and tapered design to minimize any potential ligature points. Offered with a 17° angle of spray.





## Shower Head – Ligature-Resistant, High-Efficiency

MODEL: LRSH SERIES

The LRSH Series Ligature-Resistant, High-Efficiency Shower Head has a rounded and tapered design to minimize any potential ligature points. The shower head offers a 30° angle of spray—with a 14° maximum swivel adjustment—and a standard flow rate of 1.5 GPM through the WaterSense-labeled insert.



## Shower Head – Ligature-Resistant, Ceiling Mounted

MODEL: LRCMSH SERIES

The LRCMSH Series Ligature-Resistant, Ceiling Mounted Shower Head has a rounded and tapered design to minimize any potential ligature points. The shower head offers a 30° angle of spray and a standard flow rate of 1.5 GPM through the WaterSense-labeled insert.



## Hand-Held Shower Head – Ligature-Resistant, Quick Disconnect

MODEL: LRFX SERIES

The LRFX Series Ligature-Resistant, Quick Disconnect Hand-Held Shower Head features a 1/4 turn quick disconnect with positive shut-off to stop water flow when the shower head and hose are disconnected.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE

# DRAINS

Willoughby ligature-resistant floor drains are fabricated from stainless steel and designed to provide the solution for in-floor drain applications while maintaining ligature resistance in behavioral health environments.

## Floor Drain – Round Strainer

MODEL: LRFD-RD



The LRFD-RD Floor Drain with Round Strainer is fabricated from stainless steel and utilizes an industry-standard case iron drain body. The LRFD-RD comes with various connection types and can fit multiple pipe sizes. *A Buy America Act compliant version is available for an additional cost.*



## Floor Drain – Square Strainer

MODEL: LRFD-SQ



The LRFD-SQ Floor Drain with Square Strainer is fabricated from stainless steel and utilizes an industry-standard case iron drain body. The LRFD-SQ comes with various connection types and can fit multiple pipe sizes. *A Buy America Act compliant version is available for an additional cost.*



## Floor Drain – Trench

MODEL: LRTD SERIES



The LRTD Series Trench Floor Drain is fabricated from stainless steel, with the ligature-resistant drain cover polished to a satin finish. The LRTD Series is available in various lengths.



SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE



# TOILETS & WATER CLOSETS

Willoughby toilets and water closets—constructed from stainless steel—offer a durable and sanitary solution for behavioral health environments looking to purchase toilets that can withstand heavy use and abuse that is well beyond normal wear and tear. All toilets and water closets are available in an optional white, antimicrobial powder coat finish.



## Toilet – Wall Outlet, Blowout

MODEL: ASETW SERIES

The ASETW Series Toilet is a single-user, floor mounted, wall outlet, blowout series fixture. Constructed from stainless steel, this toilet is designed to withstand abuse and loads that vitreous china cannot.



## Toilet – Wall Outlet, Siphon Jet

MODEL: ASETWS SERIES

The ASETWS Series Toilet is a single-user, floor mounted, wall outlet, siphon jet series fixture. Constructed from stainless steel, this toilet is designed to withstand abuse and loads that vitreous china cannot.



## Toilet – Floor Outlet, Siphon Jet

MODEL: ASETF SERIES

The ASETF Series Toilet is a single-user, floor mounted, floor outlet, siphon jet series fixture. Constructed from stainless steel, this toilet is designed to withstand abuse and loads that vitreous china cannot.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE

# BOTTLE FILLERS & DRINKING FOUNTAINS

Willoughby bottle fillers and drinking fountains are ligature- and vandal-resistant. These stainless steel fixtures feature all-welded construction for exceptional durability and, when mounted at standard 36" bubbler height, they comply with applicable accessibility guidelines. All bottle fillers and drinking fountains are available in an optional white, antimicrobial powder coat finish.



## Bottle Filler – Rear Mounted

MODEL: WBF-1RM

The WBF-1RM Rear Mounted Bottle Filler is a heavy-duty, quick-fill bottle filler that helps to reduce the waste from plastic water bottles in areas where vandalism or aggressive use is a concern. The WBF-1RM is anchored by a standard, 4-point system.



## Bottle Filler – Recessed, Front Mounted

MODEL: WBF-1RFM

The WBF-1RFM Recessed, Front Mounted Bottle Filler is a heavy-duty, quick-fill bottle filler that helps to reduce the waste from plastic water bottles in areas where vandalism or aggressive use is a concern. The WBF-1RFM is anchored to the wall by a z-clip and wall-mounting holes.



## Bottle Filler – Surface Mounted

MODEL: WBF-1SM

The WBF-1SM Surface Mounted Bottle Filler is a heavy-duty, quick-fill bottle filler that helps to reduce the waste from plastic water bottles in areas where vandalism or aggressive use is a concern. The WBF-1SM is anchored to the wall by a wall mounting frame attached to the wall.



SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE





## Drinking Fountain – Rear Mounted

MODEL: WBDF-1519-HC

The WBDF-1519-HC Rear Mounted Drinking Fountain is a single-user fixture for environments with an accessible mechanical chase. The bubbler, push buttons, and slow drain are non-removable from the user's side and are designed to minimize ligature points.



## Drinking Fountain – Front Mounted

MODEL: WBDF-1519-HC-FA

The WBDF-1519-HC-FA Front Mounted Drinking Fountain is a single-user fixture for environments where a mechanical chase is either non-existent or difficult to access. The bubbler, push buttons, and slow drain are non-removable from the user's side and are designed to minimize ligature points.



## Drinking Fountain – 18" Wide, Rear Mounted

MODEL: ASDF-1013-06

The ASDF-1013-06 18" Wide, Rear Mounted Drinking Fountain is a single-user, floor mounted fixture for environments with an accessible mechanical chase. The bubbler, push buttons, and slow drain are non-removable from the user's side and are designed to minimize ligature points.



## Drinking Fountain – 18" Wide, Front Mounted

MODEL: ASDF-1013-06-FA

The ASDF-1013-06-FA 18" Wide, Front Mounted Drinking Fountain is a single-user, floor mounted fixture for environments when a mechanical chase is either non-existent or difficult to access. The bubbler, push buttons, and slow drain are non-removable from the user's side and are designed to minimize ligature points.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE

# ACCESSORIES

Willoughby accessories offer a wide variety of durable, high-quality products built to withstand a lifetime of abuse. All accessories are available in an optional white, antimicrobial powder coat finish.



## Flush Valve Cover – Toilet

MODEL: ASFVC

The ASFVC Flush Valve Cover is designed to conceal exposed top spud toilet plumbing. The ASFVC can be fabricated for any size flush valve actuator hole.



## Flush Valve Cover – Toilet, ADA Compliant

MODEL: LRFVC-ADA

The LRFVC-ADA Flush Valve Cover is designed to conceal exposed top spud toilet plumbing while meeting ADA requirements for clear space around toilet compartment grab bars. The LRFVC-ADA can be fabricated for any size flush valve actuator hole.



## Flush Valve Cover – Urinal

MODEL: ASUFVC

The ASUFVC Urinal Flush Valve Cover is designed to conceal exposed top spud urinal plumbing. The ASUFVC can be fabricated for any size flush valve actuator hole.



SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE





## Grab Bar

MODEL: ASGB SERIES

The ASGB Series Grab Bar is designed with a welded-on bottom plate, including weep holes, to provide a wall-mounted gripping surface while maintaining ligature resistance. Offered in several lengths ranging from 18 to 48 inches.



## Grab Bar – ADA Compliant

MODEL: LRGB SERIES

The LRGB Series ADA Compliant Grab Bar is designed with a welded-on bottom plate to provide a wall-mounted gripping surface while maintaining ligature resistance. Offered in several lengths ranging from 18 to 48 inches.



## Towel Hook

MODEL: LRTH SERIES

The LRTH Series Towel Hook is designed to provide a ligature-resistant, wall-mounted towel hook. The LRTH supports light clothing and towels but does not support heavier objects and will release under pressure. Offered in either a 1- or 4-hook configuration.



## Towel Hooks with Integral Shelf

MODEL: LRTH4S SERIES

The LRTH4S Series Towel Hooks with Integral Shelf is designed to provide ligature-resistant, wall-mounted towel hooks with a shelf. The towel hooks will support light clothing and towels but do not support heavier objects and will release under pressure. Offered in either a rear- or front-mounted configuration.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE



## Security Mirror – Front Mounted

MODEL: MR SERIES


The MR Series, Front Mounted Security Mirror is a stainless steel, vandal-resistant alternative to traditional mirrors. Offered in either an 8- or 10-inch wide configuration.



## Tissue Holder

MODEL: ASRTH SERIES

The ASRTH Series Tissue Holder is designed to accommodate a standard roll of toilet tissue. When stocked with a standard-size toilet tissue roll, it becomes nearly impossible to conceal any contraband within the accessory. Offered in various configurations to meet the needs of your facility.



## Soap Dish

MODEL: RSD SERIES

The RSD Series Soap Dish is designed to accommodate a single bar of soap. The RSD has wide-radius corners to help reduce residue build-up. Offered in either a rear- or front-mounted configuration.



## Recessed Shelf

MODEL: RS SERIES

The RS Series Recessed Shelf is designed to provide a simple, vandal-resistant storage space. Offered in either a rear- or front-mounted configuration.



# URINALS

Willoughby urinals—constructed from stainless steel and featuring an all-welded construction—offer a durable and sanitary restroom solution for behavioral health facilities. All urinals are available in an optional white, antimicrobial powder coat finish.



## Washout Flush Urinal – Contoured, Rear Mounted

MODEL: ASUW-1314

The ASUW-1314 Rear Mounted, Washout Flush Urinal is a high-efficiency, contoured fixture for environments with an accessible mechanical chase. The single-user fixture has been thoughtfully designed to minimize any potential ligature points.



## Washout Flush Urinal – Contoured, Front Mounted

MODEL: ASUW-1314-FA

The ASUW-1314-FA Front Mounted, Washout Flush Urinal is a high-efficiency, contoured fixture for environments where a mechanical chase is either non-existent or difficult to access. The single-user fixture has been thoughtfully designed to minimize any potential ligature points.



SCAN QR CODE FOR  
MORE INFORMATION,  
INCLUDING REVIT FILES

SOME PRODUCTS MAY REQUIRE THE SPECIFICATION OF CERTAIN OPTIONS TO MEET CRITERIA INDICATED IN THIS PRODUCT GUIDE




AIA Continuing Education Provider

# DO YOU NEED CEU CREDITS?

Willoughby is an approved Continuing Educational Unit (CEU) Provider for both the American Institute of Architects (AIA) and American Society of Plumbing Engineers (ASPE). Below are the CEU courses currently being offered by Willoughby either in-person or virtually.

Contact [sales@willoughby-ind.com](mailto:sales@willoughby-ind.com) to schedule



## WILLOUGHBY PRODUCTS ARE PROUDLY MADE IN AMERICA



### CORRECTIONAL PLUMBING FIXTURE DESIGN & APPLICATIONS

Go over the trends, facts, and applications being used for correctional facilities nationwide, how to implement them into new and existing facilities, and overall offerings for correctional plumbing fixtures.




### HEALTHCARE PLUMBING FIXTURE DESIGN & APPLICATIONS

Examine the trends, facts, and applications used nationwide for healthcare facilities, how to implement them in new and existing facilities, and the overall offerings for healthcare plumbing fixtures.



### RETHINKING BEHAVIORAL HEALTH PLUMBING FIXTURE DESIGN

Review the trends and applications used for behavioral health facilities nationwide, how to implement them in new and existing facilities, and the overall offerings of ligature-resistant plumbing fixtures.



### WATER CONSERVATION FOR CORRECTIONAL FACILITIES

Learn how electronic plumbing controls adapt to new and existing correctional facilities, what the benefits are of installing electronic plumbing controls, and the different options available for water conservation in correctional facilities.

5105 West 78th Street, Indianapolis, IN 46268  
toll free 800.428.4065 • fax 317.875.0837  
[www.willoughby-ind.com](http://www.willoughby-ind.com)



# WILLOUGHBY

COUNT ON US.







5105 West 78th Street, Indianapolis, IN 46268

toll free 800.428.4065 • fax 317.875.0837

[www.willoughby-ind.com](http://www.willoughby-ind.com)



**MADE IN  
THE USA**  
*since 1947*



Willoughby Industries reserves the right to make changes without notice in design, specifications, and models. © Willoughby Industries, Inc., All rights reserved.

LAST UPDATED APRIL 2025